EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	810	(compress$6 and (noncompress$6 or non-compress$6 or decompress$6 or de-compress$6)) adj2 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:47
L2	384	1 and (compress$6 same (noncompress $6 or non-compress $6 or decompress $6 or de-compress $6)) same (routine or (software adj routine) or (program adj code) or software or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:49
L3	314	2 and (compress$6 same (noncompress $6 or non-compress $6 or decompress $6 or de-compress $6)) adj2 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:49
L4	0	3 and archival and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:51
L5	0	3 and archival and (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:52
L6	25	archival and (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:53
L7	25	6 and archival and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:53

L8	4	7 and archiv$6 with (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:53
L9	4	7 and archiv$6 same (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:54
L10	25	7 and archiv$6 and (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:54
L11	4	archiv$6 and ((CPIO! and TAR!) near6 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:56
L12	46	archiv$6 and (CPIO! and TAR!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 08:56
L13	1415	(compress$6 same (noncompress$6 or non-compress$6 or decompress$6 or de-compress$6 or uncompress$6 or un-compress)) adj2 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:01
L14	6	13 and archiv$6al and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:02
L15	36	13 and archiv$6 and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:02

L16	1	15 and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv$6 or de-archiv$6) and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:03
L17	100	(archiv$5 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv$6 or de-archiv$6)) and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:04
L18	23	17 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:05
L19	105	(archiv$5 and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv$6 or de-archiv$6)) and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:10
L20	24	19 and (compress$6 or noncompress$6 or non-compress$6 or decompress$6 or de-compress$6 or uncompress$6 or un-compress) and (backup or (back$3 adj3 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:11
L21	12	20 and (retriev$6 or extract$6) and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:12
L22	1	21 and (floppy and tape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:12

L23	3	21 and (@AD < = "20010809" or @RLAD < = "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:13
L24	9	21 and (floppy or tape or removable) with (storage or medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:15
L25	22	20 and (retriev$6 or extract$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:17
L26	5	25 and (@AD < = "20010809" or @RLAD < = "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:17
L27	5	26 and (backup or (back$3 adj3 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:18
L28	46	19 and (retriev$6 or extract$6) and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:19
L29	16	28 and (@AD < = "20010809" or @RLAD < = "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:19
L30	9	29 and (floppy or tape or removable) with (storage or medium or media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:19
L31	23	19 and (routine or softwareor porgram or code or module) with archiv$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:22

L32	29	19 and (routine or software or porgram or code or module) with archiv $6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:22
L33	6	19 and ((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) and (filesystem or (file adj system))) with (routine or software or porgram or code or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:23
L34	1	19 and (((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) and (filesystem or (file adj system))) same (routine or software or porgram)) and (program adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:26
L35	25	19 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:27
L36	23	19 and (((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) and (filesystem or (file adj system))) and (routine or software or porgram)) and (program adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:27

L37	12	35 and (((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) and (filesystem or (file adj system))) and (routine or software or porgram)) and (program adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:27
L38	6	35 and ((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) same (routine or software or porgram)) and (program adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:29
L39	0	35 and ((archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv or dearchiv $6 or de-archiv$6) same (routine and (software or porgram))) and (program adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:30
L40	0	35 and (archiv$5 or nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv or dearchiv$6 or de-archiv$6) same routine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:30
L41	1815	(compress$6 and (noncompress$6 or non-compress$6 or decompress$6 or de-compress$6 or uncompress$6 or un-compress)) adj2 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:31

L42	51	41 and (compress $6 and (noncompress$6 or non-compress$6 or decompress$6 or de-compress$6 or uncompress$6 or un-compress)) with routine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:31
L43	40	42 and (@AD <= "20010809" or @RLAD <= "20010809")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:32
L44	13	43 and software adj routine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:33
L45	5	44 and archi$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:34
L46	5	44 and archiv$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 09:34

6/27/08 9:36:00 AM
C:\ Documents and Settings\ aly\ My Documents\ EAST\ Workspaces\ LY.wsp